



NB-CPR 305/2011 EU

Nr. 1415

Product certification body accredited by  
NAH under No NAH-6-0057/2019/K.

ÉMI NON-PROFIT LIMITED LIABILITY COMPANY FOR QUALITY  
CONTROL AND INNOVATION IN BUILDING  
ENGINEERING SERVICES DIRECTORATE  
CONFORMITY ASSESSMENT CENTER  
CERTIFICATION OFFICE

H-2000 Szentendre, Dózsa György út 26. Postal address: H-2001 Szentendre, Pf : 180.  
Phone: +36 (26) 502 300 E-mail: tanusitas@emi.hu WEB: http://www.emi.hu

## EC-CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

**1415–CPR–45– (C-66/2014)**

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### CHIMNEYS, FLUES AND SPECIFIC PRODUCTS

(Prefabricated chimneys) **Metal chimneys:** with product performance and intended use:

#### Steel connecting flue pipes

**EN 1856-2 T600 N1 / N2 D Vm L99180 / L99200 G(500) M (Ø 120 - Ø 250 mm)**

**EN 1856-2 T600 N1 D Vm L99200 G(400) NM (Ø 80 - Ø 200 mm)**

(Material: DD12, or DD13, or DD14)

**EN 1856-2 T600 N1 D Vm L99100 / L99200 G(400) NM (Ø 80 - Ø 200 mm)**

(Material: DC 01, or DC 03, or DC 04)

*used to convey the products of combustion from gas, oil and solid fuel-powered heating appliances to the outside atmosphere*

*produced by*

**KAMINTHERM Ipari és Kereskedelmi Kft.  
6400 Kiskunhalas, Szénás u. 15.**

*and produced in the manufacturing plant:*

**KAMINTHERM Ipari és Kereskedelmi Kft.  
6400 Kiskunhalas, Szénás u. 15.**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in **Annex ZA of the standard EN 1856-2:2009** under system (2+) are applied and that


***the factory production control fulfils all the prescribed requirements set out above.***

This certificate was first issued on 29.08.2014. and will remain valid as long as the test methods and/or factory production control requirements included in the harmonized standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Issue: 4.

Dated at Szentendre, 18<sup>th</sup> November 2021.



  
Ágnes Molnár  
Head of Certification Office